



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY OF COMMERCE AND
COMMISSIONER OF PATENTS AND TRADEMARKS
P.O. Box 1450
Alexandria, VA 22313-1450

September 29, 2010

FISH & RICHARDSON PC
P.O. BOX 1022
MINNEAPOLIS MN 55440-1022

Patent No. : 7,732,149 B2
Inventor(s) : Tetsuo Kojima, et al.
Issued : June 8, 2010
For **METHODS OF SCREENING FOR AGONISTIC
ANTIBODIES**
Doc. No.: **14875-135US1**

To Whom It May Concern:

The Certificate of Correction issued on September 28, 2010, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

In the issued certificate of correction, the correction to change the title should have also been listed to be incorporated at Column 1, lines 1 and 2. A superseding cofc will be issued to include the change of the title to occur at Column 1, lines 1 and 2 along with the location on the Title Page, Item (54).

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s); made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on a *copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson
(571)272-0483
For Mary F. Diggs, Supervisor
Decisions & Certificates of Correction Branch
(703) 756-1580